



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES

Project Name: Salmon River

Fred Hauck
20104 NYS Route 3
Watertown, NY 13601

Project / PO Number: N/A
Received: 05/07/2021
Reported: 07/22/2021

Analytical Testing Parameters

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 89, Drinking Water, J1E1294-01, RF - Client, 05/06/2021 7:00.

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.000814.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 86, Drinking Water, J1E1294-02, RF - Client, 05/06/2021 7:00.

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.000610.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 229, Drinking Water, J1E1294-03, RF - Client, 05/06/2021 6:55.

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result <0.000400.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 71, Drinking Water, J1E1294-04, RF - Client, 05/06/2021 6:55.

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.00104.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 91	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-05		<b>Collection Date:</b> 05/06/2021 7:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00100	0.015 AL	0.000400	mg/L		07/02/21 1724	07/02/21 1724	SEA

<b>Client Sample ID:</b> 41B	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-06		<b>Collection Date:</b> 05/06/2021 7:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00200	0.015 AL	0.000400	mg/L		07/02/21 1731	07/02/21 1731	SEA

<b>Client Sample ID:</b> 39	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-07		<b>Collection Date:</b> 05/06/2021 6:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0112	0.015 AL	0.000400	mg/L		07/02/21 1733	07/02/21 1733	SEA

<b>Client Sample ID:</b> 69	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-08		<b>Collection Date:</b> 05/06/2021 6:59

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000925	0.015 AL	0.000400	mg/L		07/02/21 1735	07/02/21 1735	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 73	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-09		<b>Collection Date:</b> 05/06/2021 6:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00102	0.015 AL	0.000400	mg/L		07/02/21 1737	07/02/21 1737	SEA

<b>Client Sample ID:</b> 93	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-10		<b>Collection Date:</b> 05/06/2021 7:02

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000834	0.015 AL	0.000400	mg/L		07/02/21 1738	07/02/21 1738	SEA

<b>Client Sample ID:</b> 38	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-11		<b>Collection Date:</b> 05/06/2021 7:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00836	0.015 AL	0.000400	mg/L		07/02/21 1740	07/02/21 1740	SEA

<b>Client Sample ID:</b> 37	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-12		<b>Collection Date:</b> 05/06/2021 7:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00953	0.015 AL	0.000400	mg/L		07/02/21 1748	07/02/21 1748	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 75	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-13		<b>Collection Date:</b> 05/06/2021 6:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000735	0.015 AL	0.000400	mg/L		07/02/21 1749	07/02/21 1749	SEA

<b>Client Sample ID:</b> 203	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-14		<b>Collection Date:</b> 05/06/2021 7:06

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00256	0.015 AL	0.000400	mg/L		07/02/21 1757	07/02/21 1757	SEA

<b>Client Sample ID:</b> 43b	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-15		<b>Collection Date:</b> 05/06/2021 7:17

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00144	0.015 AL	0.000400	mg/L		07/02/21 1759	07/02/21 1759	SEA

<b>Client Sample ID:</b> 230	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-16		<b>Collection Date:</b> 05/06/2021 7:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0164	0.015 AL	0.000400	mg/L		07/02/21 1800	07/02/21 1800	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 41	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-17		<b>Collection Date:</b> 05/06/2021 6:12

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00608	0.015 AL	0.000400	mg/L		07/02/21 1802	07/02/21 1802	SEA

<b>Client Sample ID:</b> 43A	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-18		<b>Collection Date:</b> 05/06/2021 7:17

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00140	0.015 AL	0.000400	mg/L		07/02/21 1804	07/02/21 1804	SEA

<b>Client Sample ID:</b> 72	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-19		<b>Collection Date:</b> 05/06/2021 6:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00180	0.015 AL	0.000400	mg/L		07/02/21 1806	07/02/21 1806	SEA

<b>Client Sample ID:</b> 51	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-21		<b>Collection Date:</b> 05/06/2021 6:35

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00271	0.015 AL	0.000400	mg/L		07/02/21 1808	07/02/21 1808	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 90	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-22		<b>Collection Date:</b> 05/06/2021 7:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00220	0.015 AL	0.000400	mg/L		07/02/21 1822	07/02/21 1822	SEA

<b>Client Sample ID:</b> 70	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-23		<b>Collection Date:</b> 05/06/2021 6:52

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000965	0.015 AL	0.000400	mg/L		07/02/21 1828	07/02/21 1828	SEA

<b>Client Sample ID:</b> 227	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-24		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000637	0.015 AL	0.000400	mg/L		07/02/21 1830	07/02/21 1830	SEA

<b>Client Sample ID:</b> 220	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-25		<b>Collection Date:</b> 05/06/2021 6:35

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00167	0.015 AL	0.000400	mg/L		07/02/21 1833	07/02/21 1833	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 57a	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-26		<b>Collection Date:</b> 05/06/2021 6:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00142	0.015 AL	0.000400	mg/L		07/02/21 1835	07/02/21 1835	SEA

<b>Client Sample ID:</b> 221	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-27		<b>Collection Date:</b> 05/06/2021 6:40

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00149	0.015 AL	0.000400	mg/L		07/02/21 1837	07/02/21 1837	SEA

<b>Client Sample ID:</b> 224	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-28		<b>Collection Date:</b> 05/06/2021 6:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00129	0.015 AL	0.000400	mg/L		07/02/21 1839	07/02/21 1839	SEA

<b>Client Sample ID:</b> 74	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-29		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000636	0.015 AL	0.000400	mg/L		07/02/21 1841	07/02/21 1841	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 225	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-30		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00160	0.015 AL	0.000400	mg/L		07/02/21 1848	07/02/21 1848	SEA

<b>Client Sample ID:</b> 76	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-31		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00426	0.015 AL	0.000400	mg/L		07/02/21 1850	07/02/21 1850	SEA

<b>Client Sample ID:</b> 228	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-32		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000907	0.015 AL	0.000400	mg/L		07/02/21 1852	07/02/21 1852	SEA

<b>Client Sample ID:</b> 77	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-33		<b>Collection Date:</b> 05/06/2021 6:46

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00116	0.015 AL	0.000400	mg/L		07/02/21 1859	07/02/21 1859	SEA





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 78	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-34		<b>Collection Date:</b> 05/06/2021 6:46

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00143	0.015 AL	0.000400	mg/L		07/02/21 1901	07/02/21 1901	SEA

<b>Client Sample ID:</b> 79	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-35		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000831	0.015 AL	0.000400	mg/L		07/02/21 1903	07/02/21 1903	SEA

<b>Client Sample ID:</b> 226	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-36		<b>Collection Date:</b> 05/06/2021 6:40

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000646	0.015 AL	0.000400	mg/L		07/02/21 1904	07/02/21 1904	SEA

<b>Client Sample ID:</b> 80	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-37		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000657	0.015 AL	0.000400	mg/L		07/02/21 1906	07/02/21 1906	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 81	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-38		<b>Collection Date:</b> 05/06/2021 6:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000903	0.015 AL	0.000400	mg/L		07/02/21 1914	07/02/21 1914	SEA

<b>Client Sample ID:</b> 52	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-39		<b>Collection Date:</b> 05/06/2021 6:35

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000635	0.015 AL	0.000400	mg/L		07/02/21 1915	07/02/21 1915	SEA

<b>Client Sample ID:</b> 53	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-40		<b>Collection Date:</b> 05/06/2021 6:35

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00219	0.015 AL	0.000400	mg/L		07/02/21 1917	07/02/21 1917	SEA

<b>Client Sample ID:</b> 2	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-41		<b>Collection Date:</b> 05/06/2021 6:05

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00732	0.015 AL	0.000400	mg/L		07/02/21 1919	07/02/21 1919	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 4	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-42		<b>Collection Date:</b> 05/06/2021 6:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00625	0.015 AL	0.000400	mg/L		07/02/21 1928	07/02/21 1928	SEA

<b>Client Sample ID:</b> 3	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-43		<b>Collection Date:</b> 05/06/2021 6:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00533	0.015 AL	0.000400	mg/L		07/02/21 1939	07/02/21 1939	SEA

<b>Client Sample ID:</b> 7	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-44		<b>Collection Date:</b> 05/06/2021 6:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000487	0.015 AL	0.000400	mg/L		07/02/21 1941	07/02/21 1941	SEA

<b>Client Sample ID:</b> 6	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-45		<b>Collection Date:</b> 05/06/2021 6:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00433	0.015 AL	0.000400	mg/L		07/02/21 1943	07/02/21 1943	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 8	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-46		<b>Collection Date:</b> 05/06/2021 6:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000536	0.015 AL	0.000400	mg/L		07/02/21 1945	07/02/21 1945	SEA

<b>Client Sample ID:</b> 9	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-47		<b>Collection Date:</b> 05/06/2021 6:15

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.000400	0.015 AL	0.000400	mg/L		07/02/21 1947	07/02/21 1947	SEA

<b>Client Sample ID:</b> 5	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-48		<b>Collection Date:</b> 05/06/2021 6:10

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00320	0.015 AL	0.000400	mg/L		07/02/21 1950	07/02/21 1950	SEA

<b>Client Sample ID:</b> 10	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-49		<b>Collection Date:</b> 05/06/2021 6:16

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0314	0.015 AL	0.000400	mg/L		07/02/21 1952	07/02/21 1952	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 63	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-50		<b>Collection Date:</b> 05/06/2021 6:26

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00161	0.015 AL	0.000400	mg/L		07/02/21 1954	07/02/21 1954	SEA

<b>Client Sample ID:</b> 64	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-51		<b>Collection Date:</b> 05/06/2021 6:26

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000737	0.015 AL	0.000400	mg/L		07/02/21 1956	07/02/21 1956	SEA

<b>Client Sample ID:</b> 65	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-52		<b>Collection Date:</b> 05/06/2021 6:27

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000594	0.015 AL	0.000400	mg/L		07/02/21 1958	07/02/21 1958	SEA

<b>Client Sample ID:</b> 56	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-53		<b>Collection Date:</b> 05/06/2021 6:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00117	0.015 AL	0.000400	mg/L		07/02/21 2009	07/02/21 2009	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 61	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-54		<b>Collection Date:</b> 05/06/2021 6:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000748	0.015 AL	0.000400	mg/L		07/02/21 2010	07/02/21 2010	SEA

<b>Client Sample ID:</b> 55	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-55		<b>Collection Date:</b> 05/06/2021 6:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00119	0.015 AL	0.000400	mg/L		07/02/21 2012	07/02/21 2012	SEA

<b>Client Sample ID:</b> 59	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-56		<b>Collection Date:</b> 05/06/2021 6:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000767	0.015 AL	0.000400	mg/L		07/02/21 2016	07/02/21 2016	SEA

<b>Client Sample ID:</b> 60	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-57		<b>Collection Date:</b> 05/06/2021 6:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000638	0.015 AL	0.000400	mg/L		07/02/21 2018	07/02/21 2018	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 202	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-58		<b>Collection Date:</b> 05/06/2021 6:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.000400	0.015 AL	0.000400	mg/L			07/02/21 2020	SEA

<b>Client Sample ID:</b> 57	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-59		<b>Collection Date:</b> 05/06/2021 6:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00180	0.015 AL	0.000400	mg/L		07/02/21 2021	07/02/21 2021	SEA

<b>Client Sample ID:</b> 22 (Bottle Labeled 222)	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-60		<b>Collection Date:</b> 05/06/2021 6:41

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00211	0.015 AL	0.000400	mg/L		07/02/21 2023	07/02/21 2023	SEA

<b>Client Sample ID:</b> 133	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-61		<b>Collection Date:</b> 05/06/2021 7:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000902	0.015 AL	0.000400	mg/L		07/02/21 2030	07/02/21 2030	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 139	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-62		<b>Collection Date:</b> 05/06/2021 7:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00101	0.015 AL	0.000400	mg/L		07/02/21 2040	07/02/21 2040	SEA

<b>Client Sample ID:</b> 138	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-63		<b>Collection Date:</b> 05/06/2021 7:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00173	0.015 AL	0.000400	mg/L		07/02/21 2047	07/02/21 2047	SEA

<b>Client Sample ID:</b> 141	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-64		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00118	0.015 AL	0.000400	mg/L		07/02/21 2049	07/02/21 2049	SEA

<b>Client Sample ID:</b> 142	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-65		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000627	0.015 AL	0.000400	mg/L		07/02/21 2051	07/02/21 2051	SEA





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 132	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-66		<b>Collection Date:</b> 05/06/2021 7:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00169	0.015 AL	0.000400	mg/L		07/02/21 2058	07/02/21 2058	SEA

<b>Client Sample ID:</b> 144	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-67		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00282	0.015 AL	0.000400	mg/L		07/02/21 2100	07/02/21 2100	SEA

<b>Client Sample ID:</b> 145	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-68		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000897	0.015 AL	0.000400	mg/L		07/02/21 2102	07/02/21 2102	SEA

<b>Client Sample ID:</b> 165	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-69		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00142	0.015 AL	0.000400	mg/L		07/02/21 2103	07/02/21 2103	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 136	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-70		<b>Collection Date:</b> 05/06/2021 7:58

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000609	0.015 AL	0.000400	mg/L		07/06/21 1546	07/06/21 1546	SEA

<b>Client Sample ID:</b> 130	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-71		<b>Collection Date:</b> 05/06/2021 7:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00152	0.015 AL	0.000400	mg/L		07/02/21 2109	07/02/21 2109	SEA

<b>Client Sample ID:</b> 156	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-72		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00181	0.015 AL	0.000400	mg/L		07/02/21 2111	07/02/21 2111	SEA

<b>Client Sample ID:</b> 153	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-73		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000887	0.015 AL	0.000400	mg/L		07/02/21 2116	07/02/21 2116	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 135	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-74		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00186	0.015 AL	0.000400	mg/L		07/06/21 1548	07/06/21 1548	SEA

<b>Client Sample ID:</b> 157	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-75		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000836	0.015 AL	0.000400	mg/L		07/06/21 1549	07/06/21 1549	SEA

<b>Client Sample ID:</b> 168	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-76		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00619	0.015 AL	0.000400	mg/L		07/06/21 1551	07/06/21 1551	SEA

<b>Client Sample ID:</b> 154	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-77		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.000400	0.015 AL	0.000400	mg/L		07/06/21 1555	07/06/21 1555	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 169	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-78		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00116	0.015 AL	0.000400	mg/L		07/06/21 1557	07/06/21 1557	SEA

<b>Client Sample ID:</b> 166	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-79		<b>Collection Date:</b> 05/06/2021 8:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0119	0.015 AL	0.000400	mg/L		07/06/21 1559	07/06/21 1559	SEA

<b>Client Sample ID:</b> 1	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-80		<b>Collection Date:</b> 05/06/2021 6:05

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00353	0.015 AL	0.000400	mg/L		07/06/21 1600	07/06/21 1600	SEA

<b>Client Sample ID:</b> 46	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-81		<b>Collection Date:</b> 05/06/2021 7:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00577	0.015 AL	0.000400	mg/L		07/06/21 1608	07/06/21 1608	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 45	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-82		<b>Collection Date:</b> 05/06/2021 7:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0142	0.015 AL	0.000400	mg/L		07/06/21 1730	07/06/21 1730	SEA

<b>Client Sample ID:</b> 46B	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-83		<b>Collection Date:</b> 05/06/2021 7:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0119	0.015 AL	0.000400	mg/L		07/06/21 1736	07/06/21 1736	SEA

<b>Client Sample ID:</b> 48B	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-84		<b>Collection Date:</b> 05/06/2021 7:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0128	0.015 AL	0.000400	mg/L			07/06/21 1738	SEA

<b>Client Sample ID:</b> 49A	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-85		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00228	0.015 AL	0.000400	mg/L		07/06/21 1741	07/06/21 1741	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 48	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-86		<b>Collection Date:</b> 05/06/2021 7:25

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00879	0.015 AL	0.000400	mg/L		07/06/21 1743	07/06/21 1743	SEA

<b>Client Sample ID:</b> 50b	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-87		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000548	0.015 AL	0.000400	mg/L		07/06/21 1745	07/06/21 1745	SEA

<b>Client Sample ID:</b> 49B	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-88		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00120	0.015 AL	0.000400	mg/L		07/06/21 1747	07/06/21 1747	SEA

<b>Client Sample ID:</b> 50A	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-89		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000826	0.015 AL	0.000400	mg/L		07/06/21 1748	07/06/21 1748	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 47	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-90		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00758	0.015 AL	0.000400	mg/L		07/06/21 1756	07/06/21 1756	SEA

<b>Client Sample ID:</b> 129	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-91		<b>Collection Date:</b> 05/06/2021 7:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00198	0.015 AL	0.000400	mg/L		07/06/21 1758	07/06/21 1758	SEA

<b>Client Sample ID:</b> 33	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-92		<b>Collection Date:</b> 05/06/2021 7:40

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00512	0.015 AL	0.000400	mg/L			07/06/21 1800	SEA

<b>Client Sample ID:</b> 21	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-93		<b>Collection Date:</b> 05/06/2021 7:45

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000723	0.015 AL	0.000400	mg/L		07/06/21 1807	07/06/21 1807	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 151	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-94		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000515	0.015 AL	0.000400	mg/L		07/06/21 1809	07/06/21 1809	SEA

<b>Client Sample ID:</b> 150	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-95		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000779	0.015 AL	0.000400	mg/L		07/06/21 1810	07/06/21 1810	SEA

<b>Client Sample ID:</b> 30	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-96		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000701	0.015 AL	0.000400	mg/L		07/06/21 1812	07/06/21 1812	SEA

<b>Client Sample ID:</b> 32	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-97		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00520	0.015 AL	0.000400	mg/L		07/09/21 1432	07/09/21 1432	EMB





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 31	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-98		<b>Collection Date:</b> 05/06/2021 7:35

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00107	0.015 AL	0.000400	mg/L		07/06/21 1837	07/06/21 1837	SEA

<b>Client Sample ID:</b> 149	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-99		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00113	0.015 AL	0.000400	mg/L		07/06/21 1839	07/06/21 1839	SEA

<b>Client Sample ID:</b> 48	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AA		<b>Collection Date:</b> 05/06/2021 7:50

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000861	0.015 AL	0.000400	mg/L		07/06/21 1840	07/06/21 1840	SEA

<b>Client Sample ID:</b> 67	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AB		<b>Collection Date:</b> 05/06/2021 6:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00196	0.015 AL	0.000800	mg/L		06/30/21 1544	07/01/21 1821	EMB



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 68	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AC		<b>Collection Date:</b> 05/06/2021 6:55

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000628	0.015 AL	0.000400	mg/L		07/06/21 1842	07/06/21 1842	SEA

<b>Client Sample ID:</b> 85	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AD		<b>Collection Date:</b> 05/06/2021 7:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000963	0.015 AL	0.000400	mg/L		07/06/21 1619	07/06/21 1619	SEA

<b>Client Sample ID:</b> 87	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AE		<b>Collection Date:</b> 05/06/2021 7:00

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00112	0.015 AL	0.000400	mg/L		07/06/21 1626	07/06/21 1626	SEA

<b>Client Sample ID:</b> 42	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AF		<b>Collection Date:</b> 05/06/2021 7:15

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000622	0.015 AL	0.000400	mg/L		07/06/21 1628	07/06/21 1628	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 44B	<b>Collected By:</b> RF - Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 05/06/2021 7:25
<b>Lab Sample ID:</b> J1E1294-AG	

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.000799	0.015 AL	0.000400	mg/L		07/06/21 1630	07/06/21 1630	SEA

<b>Client Sample ID:</b> 40B	<b>Collected By:</b> RF - Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 05/06/2021 7:10
<b>Lab Sample ID:</b> J1E1294-AH	

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00267	0.015 AL	0.000400	mg/L		07/06/21 1637	07/06/21 1637	SEA

<b>Client Sample ID:</b> 206	<b>Collected By:</b> RF - Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 05/06/2021 7:26
<b>Lab Sample ID:</b> J1E1294-AI	

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.000400	0.015 AL	0.000400	mg/L		07/06/21 1639	07/06/21 1639	SEA

<b>Client Sample ID:</b> 42b	<b>Collected By:</b> RF - Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 05/06/2021 7:15
<b>Lab Sample ID:</b> J1E1294-AJ	

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00100	0.015 AL	0.000400	mg/L		07/06/21 1641	07/06/21 1641	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

<b>Client Sample ID:</b> 44	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AK		<b>Collection Date:</b> 05/06/2021 7:17

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00121	0.015 AL	0.000400	mg/L		07/06/21 1643	07/06/21 1643	SEA

<b>Client Sample ID:</b> 205	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AL		<b>Collection Date:</b> 05/06/2021 7:16

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.000400	0.015 AL	0.000400	mg/L		07/06/21 1644	07/06/21 1644	SEA

<b>Client Sample ID:</b> 35	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AM		<b>Collection Date:</b> 05/06/2021 7:30

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.00171	0.015 AL	0.000400	mg/L		07/06/21 1648	07/06/21 1648	SEA

<b>Client Sample ID:</b> 207	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> RF - Client
<b>Lab Sample ID:</b> J1E1294-AN		<b>Collection Date:</b> 05/06/2021 7:35

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.000400	0.015 AL	0.000400	mg/L		07/06/21 1650	07/06/21 1650	SEA



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J1E1294

Client Sample ID: 204	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 05/06/2021 7:13
Lab Sample ID: J1E1294-AO	

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.00637	0.015 AL	0.000400	mg/L		07/06/21 1655	07/06/21 1655	SEA

Client Sample ID: 40	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 05/06/2021 7:11
Lab Sample ID: J1E1294-AP	

Analyses Performed by: Microbac Laboratories Inc., Pittsburgh Division

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.00751	0.015 AL	0.000400	mg/L		07/06/21 1703	07/06/21 1703	SEA

Results in bold have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

- AL: US EPA Action Level
- mg/L: Milligrams per Liter
- RL: Reporting Limit

Project Requested Certification(s)

Microbac Laboratories Inc., Pittsburgh Division  
10121  
02-00257

New York State Department of Health  
PA Department of Environmental Protection  
PADEP Accreditation by Rule

Microbac Laboratories, Inc., New York Division  
NY Lab ID No.: 10795

New York State Department of Health

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <<https://www.microbac.com/standard-terms-conditions>>.

Reviewed and Approved By:

Chris Long  
Director  
Reported: 07/22/2021 17:43

3821 Buck Drive  
Cortland NY 13045  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00935

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

*Shannon Rued*

<b>Client Information</b>		<b>Billing/Invoicing</b>	
Name:	Jeff/Lew Bocces		
Address:	20104 NYS Route 3		
Contact:	Health/Safety Dept.		
Phone:	315-779-7000		
Project:			
Quote ID:	Lead Testing	PO#:	
Rush TAT Bus. Days:	2-5 5-7 7-10	Date Req.:	
Carbon Copy:	Yes		
Email Results:	Yes		
Fax Results:	Yes		
	rfilley@bocces.com, fhauck@bocces.com, lshaw@bocces.com		

Sample Information		Matrix	
Description/Location	Date	Time	Type
89	5/6	700	DW
86e		700	
229		655	
71		655	
91		700	
41B		710	
39		655	
69		655	
73		650	
93		702	
38		710	
37		710	
95		650	
203		706	
43B		717	
230		700	
41		612	
43A		717	
72		655	
67		655	

Number of Containers for Analysis Requested	1
Analysis Requested	
Receiving Info (Lab Use Only)	
Ice:	YES NO
Cooler:	YES NO
Sample Temp:	
Cooler Seal:	YES NO
Pickup:	YES NO
Dropoff:	C W
Accepted?	YES NO
Container Material	
Container Size (in MI)	
Preservative	
Comments/Field Data	



Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCE  
PM: Shannon Weeks

Print Name and Company: *Shannon Rued*

Date/Time: 5/6/21

Comments:

Microbac Laboratories (MNY) may be unable to perform a portion of the requested analysis if the sample is not submitted in accordance with the laboratory's Chain of Custody procedures. By signing this document you are attesting that you have been informed by MNY of the intended use of the sample and the associated risks.

3821 Buck Drive  
 Cortland NY 13045  
 Phone: (607) 753-3403 Fax: (607) 753-3415  
 NY #10795, EPA #NY00835

# Microbac Laboratories, Inc.

## CHAIN OF CUSTODY

Samples must be returned on ice  
 MNY Workorder #

*Samuel River*

<b>Client Information</b>		<b>Billing/Invoice:</b>	
Name:	Jeff/Lew Boces		
Address:	20104 NYS Route 3		
Contact:	Health/Safety Dept.		
Phone:	315-779-7000		
Project:			
Quote ID:	Lead Testing	PO#:	
Rush TAT Bur. Days:	2-5 5-7 7-10	Date Req.:	
Carbon Copy:	Yes		
Email Results:	Yes		
Fax Results:	Yes		

Sample Information		Matrix	
Description/Location	Date	Time	Type
51	5/6/21	6:35	DW
90		7:00	
70		6:52	
227		6:45	
220		6:35	
57A		6:30	
221		6:40	
224		6:50	
74		6:45	
225		6:45	
76		6:45	
228		6:45	
77		6:46	
78		6:46	
79		6:46	
226		6:45	
80		6:45	
81		6:45	
52		6:35	
53		6:35	

<b>Receiving Info (Lab Use Only)</b>	
Ice:	YES NO
Cooler:	YES NO
Sample Temp:	
Cooler Seal:	YES NO
Pickup:	YES NO
Dropoff:	C W
Accepted?	YES NO
Container Material:	
Container Size (in MI):	
Preservative:	
Comments/Field Data:	

Number of Containers for Analysis Requested	Date/Time	Comments
1	5/6/21	

Sampled: *[Signature]*  
 Received: *[Signature]*  
 Received: *[Signature]*

Microbac Laboratories (MNY) may be liable for any contamination or other requests that the user will submit to the laboratory. By signing this document you are certifying that you have been informed by MNY of the terms, conditions and treatment of this contract.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Corland NY 13045  
Phone: (607) 753-3403 Fax: (607) 753-3415  
NY #10795, EPA #NY00935

*SALMAN RIVER*

**Client Information**

Name: Jeff Lew Boces  
Address: 20104 NYS Route 3  
Contact: Health/Safety Dept.  
Phone: 315-779-7000  
Project: Lead Testing  
Quote ID: PO#:  
Rush TAT Bus. Days: 2-5 5-7 7-10  
Carbon Copy: Yes  
Email Results: Yes  
Fax Results: Yes

**Analysis Requested**

Total Lead (EPA 200.8)  
Plastic  
250 ml  
HNO3  
1

**Receiving Info (Lab Use Only)**

Ice: YES NO  
Cooler: YES NO  
Sample Temp:  
Cooler Seal: YES NO  
Pickup: YES NO  
Dropoff: C W  
Accepted? YES NO

Container Material  
Container Size (in MI)  
Preservative

**Sample Information**

Description/Location		Date	Time	Matrix	Type	Number of Containers for Analysis Requested					Comments/Field Data	
1	2	5/6	6005	DW	DW							
2			6010									
3			6010									
4			6010									
5			6010									
6			6010									
7			6015									
8			6010									
9			6011									
10			6026									
11			6026									
12			6027									
13			6030									
14			6025									
15			6030									
16			6025									
17			6025									
18			6030									
19			6041									
20												

Date/Time

5/6/21

Comments

Print Name and Company

*[Signature]*

Sampled:  
Received:  
Received:

Microbac Laboratories (MNY) may be unable to perform or return to Microbac Laboratories (MNY) any containers or samples that are not returned to Microbac Laboratories (MNY) within 30 days of the date of collection. Microbac Laboratories (MNY) is not responsible for the loss of samples or containers that are not returned to Microbac Laboratories (MNY) within 30 days of the date of collection. Microbac Laboratories (MNY) is not responsible for the loss of samples or containers that are not returned to Microbac Laboratories (MNY) within 30 days of the date of collection.



3821 Buck Drive  
 Cortland NY 13045  
 Phone: (607) 753-3403 Fax: (607) 753-3415  
 NY #10795, EPA #NY00935

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
 MNY Workorder #

*Samuel River*

<b>Client Information</b>		<b>Billing/Invoices:</b>	
Name:	Jeff/Lew Bocces		
Address:	20104 NYS Route 3		
Contact:	Health/Safety Dept.		
Phone:	315-779-7000		
Project:			
Quote ID:	Lead Testing	PO#:	
Rush TAT Bus. Days:	2-5 5-7 7-10	Date Req.:	
Carbon Copy:	Yes		
Email Results:	Yes	rfilley@boces.com, fhauck@boces.com, lshaw@boces.com	
Fax Results:	Yes		

Sample Information		Matrix	
Description/Location	Date	Time	Type
133	8/10	755	DW
139		755	
138		755	
141		750	
142		750	
132		755	
144		750	
145		750	
165		800	
136		758	
130		755	
156		800	
153		800	
135		750	
157		800	
168		800	
154		800	
169		800	
166		800	
165		805	

Analysis Requested		Number of Containers for Analysis Requested		Comments/Field Data	
Total Lead (EPA 200.8)		1			
Plastic					
250 ml					
HNO3					
Accepted?	YES NO				
Container Material					
Container Size (in MI)					
Preservative					
Pickup:	YES NO				
Dropoff:	C W				
Sample Temp:					
Cooler seal:	YES NO				
Cooler:	YES NO				
Ice:	YES NO				

Sampled: *[Signature]* Date/Time: 8/10  
 Received: *[Signature]*  
 Received: *[Signature]*

Microbac Laboratories (MNO) may be unable to perform analysis if you do not provide a sufficient amount of sample. Please contact Microbac Laboratories at (607) 753-3403 for more information. By signing this document you are certifying that you have been informed by MNO of the limitations of this analysis and are accepting the results of this analysis.

3821 Buck Drive  
 Cortland NY, 13045  
 Phone: (607) 753-3403 Fax: (607) 753-3415  
 NY #10795, EPA #NY00935

# Microbac Laboratories, Inc.

## CHAIN OF CUSTODY

Samples must be returned on ice  
 MNY Workorder #

*Samuel River*

<b>Client Information</b>		<b>Billing/Invoicing:</b>	
Name:	Jeff/Lew Boces		
Address:	20104 NYS Route 3		
Contact:	Health/Safety Dept.		
Phone:	315-779-7000		
Project:			
Quote ID:	Lead Testing	PO#:	
Rush TAT Bus. Days:	2-5 5-7 7-10	Date Req.:	
Carbon Copy:	Yes		
Email Results:	Yes		
Fax Results:	Yes		

Receiving Info (Lab Use Only)

Ice:	YES	NO
Cooler:	YES	NO
Sample Temp:		
Cooler Seal:	YES	NO
Pickup:	YES	NO
Dropoff:	C	W
Accepted?	YES	NO

Sample Information		Analysis Requested		Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Matrix	Type	Comments/Field Data
46	5/10	725	DW	DW	
45		725			
46B		725			
48B		725			
49A		730			
48		725			
50B		730			
49B		730			
50A		730			
47		730			
129		755			
33		740			
21		745			
151		750			
150		750			
80		730			
82		730			
31		735			
149		750			
48		750			

Number of Containers for Analysis Requested					
Container Material	Plastic				
Container Size (in MI)	250 ml				
Preservative	HNO3				
Accepted?	YES	NO			

Sampled: *[Signature]* Date/Time: \_\_\_\_\_ Comments: \_\_\_\_\_  
 Received: \_\_\_\_\_  
 Received: \_\_\_\_\_

Client Information		Billing/Invoice		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Jeff Lew Boces	Date:	5/16 <th>Ice:</th> <td>YES NO</td> <th>Container Material</th> <td>Plastic</td>	Ice:	YES NO	Container Material	Plastic
Address:	20104 NYS Route 3	Time:	6:55	Cooler:	YES NO	Container Size (in MI)	250 ml
Contact:	Health/Safety Dept.	Matrix Type	DW	Sample Temp:		Preservative	
Phone:	315-779-7000	Date	5/16	Cooler Seal:	YES NO	Comments/Field Data	
Project:		Time	6:55	Accepted?	YES NO		
Quote ID:	Lead Testing	Date	7:00	Container Material			
Flush TAT Bus. Days:	2-5 5-7 7-10	Time	7:15	Container Size (in MI)			
Carbon Copy:	Yes	Time	7:45	Preservative			
Email Results:	Yes	Time	7:10	Comments/Field Data			
Fax Results:	Yes	Time	7:26				
Sample Information		Date	7:15	Number of Containers for Analysis Requested			
Description/Location	Date	Time	Matrix Type				
67	5/16	6:55	DW	1			
68		6:55					
85		7:00					
87		7:00					
92		7:15					
44 B		7:45					
40 B		7:10					
296		7:26					
42 B		7:15					
44		7:17					
205		7:16					
35		7:30					
207		7:35					
204		7:13					
40		7:11					
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Print Name and Company  
 Received: [Signature]  
 Date/Time: 5/16  
 Comments:

Microbac Laboratories (MNY) may be unable to perform up to 10% of requested testing which may result in a sub-optimal analysis. In order to ensure the accuracy of the analysis, you may be required to sign a contract with MNY for the time to sub-optimal results. MNY is not responsible for any delays or costs associated with this process.